looFu	ex GmbH	Revision nr. 4
		Dated 22/03/2022
		Printed on 22/03/2022
CLEA	N BOILER	Page n. 1/11
		Replaced revision:3 (Dated: 21/03/2022)
Safety Data Sheet		
According to Annex II	to REACH - Regulation 2020/878 and to Annex II to UK REA	СН
SECTION 1. Identification of the sub	stance/mixture and of the company/under	taking
4.4. Deschool identifier		
1.1. Product identifier Product name	CLEAN BOILER	
UFI :	CB500	
1.2. Relevant identified uses of the substance or n Intended use Descaler for coffee m		
1.3. Details of the supplier of the safety data sheet		
Name Full address	JoeFrex GmbH Dientzenhoferstr. 72	
District and Country	90480 Nürnberg	
	Germany	
	Tel. 0049 911 5430056	
	Fax 0049 911 5430057	
e-mail address of the competent person		
responsible for the Safety Data Sheet	info@joefrex.de	
1.4. Emergency telephone number For urgent inquiries refer to	Tel: 0049 911 5430056	

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:	
Skin corrosion, category 1	H314
Serious eye damage, category 1	H318

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

	JoeFrex	a GmbH	Revision nr. 4 Dated 22/03/2022
	0. 5 4 1		Printed on 22/03/2022
	CLEAN	BOILER	Page n. 2/11
			Replaced revision:3 (Dated: 21/03/2022)
Signal words:	Danger		
Hazard statements:			
H314	Causes severe skin burns an	d eye damage.	
Precautionary statements:			
P260 P305+P351+P338	Do not breathe dust / fume / g IF IN EYES: Rinse cautiously	gas / mist / vapours / spray. with water for several minutes. Remove contact lenses, if	present and easy to do. Continue
P303+P361+P353	rinsing.	f immediately all contaminated clothing. Rinse skin with wa	ator [or showor]
P280		ctive clothing / eye protection / face protection.	ater [or shower].
P310	Immediately call a POISON C	ENTER / doctor / in case of emergency	
P264	Wash thoroughly after handl	ng.	
Contains:	Lactic acid		
2.3. Other hazards			
The product does not conta		n any PBT or vPvB in percentage ≥ than 0,1%. Isrupting properties in concentration ≥ 0.1%.	
3.2. Mixtures			
Contains:			
Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)	
Citric acid			
CAS 5949-29-1	10 ≤ x < 12	Eye Irrit. 2 H319	
EC 201-069-1			
INDEX -			
REACH Reg. 01-211945 XXXX	7026-42-		
Lactic acid CAS 79-33-4	5≤x< 7	Eye Dam. 1 H318, Skin Irrit. 2 H315	
EC 201-196-2			
INDEX -			
REACH Reg. 01-211947 0000	4164-39-		
The full wording of hazard (H) phrases is given in section 7	6 of the sheet.	

CLEAN BOILER

Revision nr. 4

Dated 22/03/2022 Printed on 22/03/2022

Page n. 3/11

Replaced revision:3 (Dated: 21/03/2022)

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

JoeFrex GmbH	Revision nr. 4
	Dated 22/03/2022
CLEAN BOILER	Printed on 22/03/2022
	Page n. 4/11
	Replaced revision:3 (Dated: 21/03/2022)

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Normal value in fresh water	0,44	mg/l	
Normal value in marine water	0,044	mg/l	
Normal value for fresh water sediment	3,46	mg/kg/d	
Normal value for marine water sediment	34,6	mg/kg/d	
Normal value of STP microorganisms	1000	mg/l	
Normal value for the terrestrial compartment	33,1	mg/kg/d	

Predicted no-effect concentration - PNEC			
Normal value in fresh water	1,3	mg/l	
Normal value of STP microorganisms	10	mg/l	

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

JoeFrex GmbH	Revision nr. 4
	Dated 22/03/2022
CLEAN BOILER	Printed on 22/03/2022
	Page n. 5/11
	Replaced revision:3 (Dated: 21/03/2022)

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	red	
Odour	characteristic	
Melting point / freezing point	Not available	
Initial boiling point	100 °C	
Flammability	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Flash point	Not available	
Auto-ignition temperature	Not available	
рН	1,5 +/- 0,5	
Kinematic viscosity	Not available	
Solubility	In acqua	
Partition coefficient: n-octanol/water	Not available	
Vapour pressure	Not available	
Density and/or relative density	1,07 +/- 0,05 gr/lt	
Relative vapour density	Not available	
Particle characteristics	Not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

CLEAN BOILER

Revision nr. 4 Dated 22/03/2022

Printed on 22/03/2022

Page n. 6/11

Replaced revision:3 (Dated: 21/03/2022)

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Alkaline

10.6. Hazardous decomposition products

Carbonium oxides

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information Information not available

Information on likely routes of exposure Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available

Interactive effects Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

CITRIC ACID

LD50 (Dermal): LD50 (Oral): Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

> 2000 mg/kg > 5400 mg/ml Rat

CLEAN BOILER

Revision nr. 4 Dated 22/03/2022

Printed on 22/03/2022

Page n. 7/11 Replaced revision:3 (Dated: 21/03/2022)

LACTIC ACID

LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours): > 2000 mg/kg rabbit 4936 mg/kg Rat 7,94 mg/l/4h Rat

SKIN CORROSION / IRRITATION Corrosive for the skin Classification according to the experimental Ph value

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION Does not meet the classification criteria for this hazard class

Respiratory sensitization

Does not meet the classification criteria for this hazard class

Skin sensitization

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility Does not meet the classification criteria for this hazard class

Adverse effects on development of the offspring Does not meet the classification criteria for this hazard class

Effects on or via lactation Does not meet the classification criteria for this hazard class

<u>STOT - SINGLE EXPOSURE</u> Does not meet the classification criteria for this hazard class

Target organs Does not meet the classification criteria for this hazard class

Route of exposure Information not available

STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

CLEAN BOILER

Revision nr. 4 Dated 22/03/2022 Printed on 22/03/2022

Page n. 8/11

Replaced revision:3 (Dated: 21/03/2022)

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

CITRIC ACID	
LC50 - for Fish	> 440 mg/l/96h fish
EC50 - for Crustacea	> 1535 mg/l/48h Dafnia
Chronic NOEC for Algae / Aquatic Plants	425 mg/l
LACTIC ACID	
LC50 - for Fish	320 mg/l/96h

EC50 - for Crustacea	
EC50 - for Algae / Aquatic Plants	

12.2. Persistence and degradability

CITRIC ACID Biodegradabile.

LACTIC ACID

Rapidly degradable

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

250 mg/l/48h 3500 mg/l/72h

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

JoeFrex GmbH	Revision nr. 4 Dated 22/03/2022
CLEAN BOILER	Printed on 22/03/2022
	Page n. 9/11
	Replaced revision:3 (Dated: 21/03/2022)
SECTION 14. Transport information The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods b the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) i 14.1. UN number or ID number Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable 14.5. Environmental hazards Not applicable	y Road (ADR) and by Rail (RID), of regulations.
14.6. Special precautions for user Not applicable 14.7. Maritime transport in bulk according to IMO instruments Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EU: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Product Point 3	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors	
Not applicable	
Substances in Candidate List (Art. 59 REACH)	
On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:	
None	
Substances subject to the Rotterdam Convention:	

CLEAN BOILER

Revision nr. 4 Dated 22/03/2022

Printed on 22/03/2022

Page n. 10/11

Replaced revision:3 (Dated: 21/03/2022)

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Skin Corr. 1	Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

Revision nr. 4 JoeFrex GmbH Dated 22/03/2022 Printed on 22/03/2022 **CLEAN BOILER** Page n. 11/11 Replaced revision:3 (Dated: 21/03/2022)

- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EU) 286/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 03 / 04 / 08 / 11 / 12.